

SB8

Altos Rubber

1522 Fishburn Ave., L.A.

Project Number

Drilling Contractor

J&H Drilling

Geologist

Williams

Drill Method

Hollow Stem Auger

Date Drilled

8/16/05

Total Depth of Borehole


95 Feet

Borehole Diameter

8 Inches

Depth to Water

None



Description

Graphic Log

Classification

Depth

Sample

OVA

NOTE SOILS NOT SAMPLED ABOVE 40 FEET Bgs

NOTE SOILS NOT SAMPLED ABOVE 40 FEET Bgs

SB8

Altos Rubber

1522 Fishburn Ave., L.A.

Project Number

Drilling Contractor

J&H Drilling

Geologist

Williams

Drill Method

Hollow Stem Auger

Date Drilled

8/16/05

Total Depth of Borehole


95 Feet

Borehole Diameter

8 Inches

Depth to Water

None



Description

Graphic Log	Classification	Description	Depth	Sample	OVA
	CL	SILTY CLAY Very dark olive green, verticle bedding apparent, very firm to hard, grading to clayey silt, very slightly damp, NO ODOR			0
	CL	SILTY CLAY Very dark olive green, very firm to hard, shaley in part, grading to clayey silt, very slightly damp, NO ODOR	45		0
	CL	SILTY CLAY Dark olive green, very firm to slightly hard, shaley, grading to shaley, clayey silt, very slightly damp, NO ODOR	50		0
	CL	SILTY CLAY Very dark green, hard to very firm, shaley, very slightly damp, NO ODOR	55		0
	CL	SILTY CLAY Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	60		0
	CL	SILTY CLAY Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	65		0
	CL	SILTY CLAY As above, Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	70		0
	CL	SILTY CLAY As above, Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	75		0

Targhee Inc. Environmental Consulting

SB8

Altos Rubber

1522 Fishburn Ave., L.A.

Project Number

Drilling Contractor

J&H Drilling

Geologist

Williams

Drill Method

Hollow Stem Auger

Date Drilled

8/16/05

Total Depth of Borehole

95 Feet

Borehole Diameter

8 Inches

Depth to Water

None



Description

Graphic Log	Classification	Description	Depth	Sample	OVA
	CL	SILTY CLAY As above, Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR			0
	CL	SILTY CLAY As above, Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	85		0
	CL	SILTY CLAY As above, Dark grey green interbedded with very dark olive green, verticle bedding apparent, very firm to hard, very slightly damp, NO ODOR	90		0
			95		0
			100		
			105		
			110		
			115		